




i


„mm“



$$Y = (Q \times KH) - R - K$$

$$X = KH - Y - S - (2 \times K) + A1$$



|  | β [°] | Q | R | S | T | U | V | W |
|---|----------------|-----|-----|-----|---------|---------|---------|---------|
| 450-480 | ~107-98 | 1,0 | 349 | 313 | 94-49 | 93-128 | 196-180 | 315-343 |
| 480-530 | ~107-96 | 1,1 | 426 | 328 | 100-37 | 100-155 | 203-186 | 328-370 |
| 520-590 | ~107-93 | 1,1 | 466 | 347 | 106-23 | 112-184 | 213-190 | 347-401 |
| 580-650 | ~108-95 | 1,2 | 589 | 377 | 119-40 | 126-197 | 227-207 | 375-430 |
| 650-730 | ~107-94 | 1,2 | 664 | 409 | 124-38 | 147-224 | 238-215 | 411-470 |
| 710-790 | ~108-95 | 1,2 | 736 | 439 | 136-46 | 161-233 | 250-219 | 439-500 |
| 770-840 | ~108-95 | 1,0 | 644 | 467 | 146-43 | 179-223 | 267-200 | 466-527 |
| 840-910 | ~108-98 | 1,2 | 882 | 501 | 154-70 | 195-248 | 272-231 | 502-559 |
| 910-970 | ~107-98 | 1,1 | 865 | 533 | 160-78 | 214-246 | 282-225 | 536-588 |
| 960-1010 | ~107-100 | 1,1 | 915 | 557 | 170-99 | 228-251 | 295-240 | 560-605 |
| 1000-1040 | ~107-102 | 1,1 | 954 | 576 | 177-120 | 239-256 | 306-256 | 578-616 |



4037470000

10/2015


12.0001.010.445.0000.00

KESSEBÖHMER

1  5 mm 






2  PZ 2





i 


A **B**




$$X = KH - Y - S - (2 \times K) + A1$$




4




5



6



7








40377000

KESSEBÖHMER 12.001.010.445.0000.00 10/2015

40377000

KESSEBÖHMER 12.001.010.445.0000.00 10/2015





4037470000

10/2015

12.0001.010.445.0000.00

KESSEBÖHMER

